



Smart

Zero-degree deck

Status March 2020




SMART



brown grey anthracite

NATURELINE Colour edition:



oak brown amber brown chestnut brown



graphite grey basalt grey

Zero-degree deck requires no slant

Patio decks are usually quickly laid. But creating an underlying construction often takes a long time and costs quite a lot. Depending on the location and ground surface, you often need to plan in a slant of 1 to 2 percent, or even have to create a slant. This can cost you space which can make it impossible to renovate an area by laying an extra surface. Therefore we developed the SMART zero-degree deck which needs no slant at all. It combines the water repellent characteristics of the wooden composite material with a cambered surface. The deck is curved towards the middle, so that rain water or surface water during cleaning processes can automatically drain through the gaps.

Light-weight with loadability

Because it has no grooves, SMART is not as high: Its thickness of 18mm makes it the thinnest deck in our range, but it nevertheless still has the advantages of a classic solid deck, despite its light weight: high stability, slip resistance and shape stability.

It is available in our popular colours brown, grey and anthracite, as well as in the five NATURELINE edition shades that are very popular, thanks to their individual, natural multi-colouredness.

Characteristics

no patio slope necessary,
automatic water drainage
thanks to curvature
particularly low-maintenance,
non-slip and sure-footed,
effective deck thickness of
only 19 mm

Simple laying

Pay attention to the installation side, as the deck can only be laid on one side! When laying, you must take care that the laying aid provided in the parcel is used in any case. Depending on the locational situation you will need ca. 2.5 to 3 metres of base profile and ca. 16 stainless steel brackets with screws to lay one square metre. With this deck you cannot use a joint profile tube; you have to use our universal accessories to lay the decks. You can find laying films on patio construction and current information on our products on our website!

Good planning is everything

Use our patio planner to plan your favourite spot with our deck SMART. Choose between different laying shapes and directions and use the practical material list to implement your plans. You are also welcome to ask for consultation directly from one of our partner retailers.

Format	width ca. 140 mm, height ca. 19 mm
Surface	one-sided embossed, unbrushed
Standard lengths	ca. 3 m / ca. 4 m / ca. 5 m / ca. 6 m
Special lengths	ca. 2 m bis ca. 13 m available at extra cost
Requirements	1 sqm consists of ca. 7 m decks
Weight	ca. 2.7 kg/m

Water-repellent surface



NATUR inFORM GmbH
Flurstraße 7
D-96257 Redwitz a. d. Rodach
T +49 (0) 9574 65473 - 0
F +49 (0) 9574 65473 - 20
info@naturinform.com
www.naturinform.com



Prüfung Rutschhemmung **DIE SMARTE**
geprägt **R10** 3/2017
Bewertung nach DIN 51130
TÜV Rheinland/LGA



This brochure was created carefully for you and is constantly being developed further.
Please find the current and valid version at www.naturinform.com. Printed colours can vary.
Status: March 2020