

We create your favourite spots



Patio decks
Facades
Fence systems

Valid from January 1st 2021



Content

About NATURinFORM	4–13
Colour Overview <small>NEW</small>	14–19
Service	20

Patio decks

NATURELINE massive deck – natural wood look	22–23
RESISTANT ^{pro} co-extruded massive deck – easy-care	24–25
ROBUST massive deck – intensive wood grain	26–27
URBAN massive deck – puristically beautiful	28–29
EXCLUSIVE massive deck – extra narrow joint dimension	30–32
POPULAR ^{massive} massive deck – with general building inspectorate approval	32–33
POPULAR ^{select} massive deck – elegantly corrugated	34–35
RATIONAL ^{select} massive deck – extra wide	36–37
COMPACT massive deck / honeycomb – price conscious	38–39
COMPACT ^{plus} honeycomb profile deck – finely embossed	40–41
SMART zero degree deck – particularly easy-care	42–43
STRONG bearing deck / massive deck – highly stable	44–45

Facades

CREATIVE Facade profile – natural and individual	46–47
CREATIVE ^{exclusive} Facade profile – elegant and individual	48–49

Privacy shields and noise protection

FLEXIBLE privacy shield and noise protection – flexible	50–51
EFFECTIVE privacy shield – cost-effective efficiency	52–53

Interesting facts	54–55
--------------------------	-------

For more than 20 years, we have been manufacturing high-quality patio decks, Facades and privacy shields for your favourite spot in Redwitz, Franconia.

Patio decks

We offer you the most comprehensive range of high-quality WPC patio decks. Let yourself be convinced by the pleasant feel of the wood, the excellent properties of the material and the quick and easy laying technique.

Facades

Get to know our easy-to-clean and low-maintenance Facades. In addition to the natural wood look, they also impress with their weather stability and durability.

Privacy shields and noise prevention fences

Do you want a place where you can withdraw from everyday life? Enjoy peace and quiet in your favourite spot with our privacy shields and noise prevention solutions.





What makes our products so special? What distinguishes them from wood as a material? Our products are made of an environmentally friendly and recyclable wood composite material. This is made of 70% domestic wood and 30% pure polymer, which makes our patio decking, Facades and fences easy to care for, durable and weatherproof.





Bad Freising, COMPACT in Grey

Beautiful wood look


Our products impress with their exceptionally natural wooden look. Domestic wood from PEFC-certified companies, natural colours and the special wood grain and surface texture of the decking mirror all the beauty of wood. In addition, we are able to return our products to our manufacturing process in order to manufacture new products from them.

Extremely low-maintenance

It is important to us that you do not have to do a lot of work with our products. That is why they are particularly easy to clean and weatherproof. In contrast to conventional wooden decking, our decking does not have to be oiled or painted and still will not splinter or crack. Cleaning is completely uncomplicated with water.

Easy to install

The processing of our wood composite material is quick and easy. In comparison to wood, our products have no rejects caused by knotholes or crooked planks. You can also make use of our service and have all of the decking delivered to the construction site in the correct length – even in special lengths from 2 meters to 13 meters.



Sustainability is very important to us. From production, right up to laying, we make sure that the work chain is ecological. By using certified wooden fibres and by being able to recycle our decks, NATURinFORM is contributing to protecting nature.



We are proud to be able to offer you completely environmentally friendly and sustainable quality products. Our products can be recycled, are made in Germany, and produced sustainably.

Made in Germany

NATURinFORM's patio decks, facades, and privacy shields are made exclusively in Germany. We are proud that at our production site in Franconian Redwitz an der Rodach, we have combined quality made in Germany with innovation. Made in Germany stands for certified quality, usage of highest quality raw materials, and our location. We do everything to ensure our production is environmentally friendly and ecological, and that its quality can be felt and seen for a very long time. Quality and quality awareness are decisive for us!

From old to new!

We are able to recycle our sustainable WPC quality products and feed them back into our production process to reuse them ecologically and sustainably.

Therefore we will be happy to take back our original NATURinFORM WPC products if you deliver them to our factory Rednitz an der Rodach, Flustrasse 7 and after we have checked that the product is clean, free of charge. As there is no legal liability for us to do so, and this is a voluntary and non-binding take-back option, we recommend you get in touch with us before returning your used WPC products to guarantee a smooth procedure. By acting with an ecological conscience you are contributing to an environmentally-friendly production cycle.

For nature's sake

We only use wooden fibres from suppliers that have been awarded the PEFC-certificate. This means that the PEFC standards are based on the strict guidelines for sustainable forestry. PEFC is the largest independent institution to ensure sustainable forestry and the most important forest protection organization. By using our PEFC certified products, you have decided to protect the forest as a habitat for humans, animals, and plants.

Short ways - large effect

We pack the finished decks in reusable packaging and really focus on reusing belts and pallets. Delivery is strategically planned to achieve as high a lorry capacity utilization as possible.

Our focus is visibly on sustainability, protecting nature and striving to maintain highest quality levels in helping our customers create their favourite spots.

Our composite material

When manufacturing our high-quality WPC products we focus on quality and long-term experience. We use wooden fibres made of 100 % PEFC certified wood from sustainable forestry for our wood composite materials. To improve the material characteristics, such as weather stability and resistance to scratches, as well as the shapeability of the material, we enhance the wooden fibres with an environmentally-friendly and thermoplastic pure polymer, which is subject to strict checks. The pure polymer and the wooden fibres are kneaded carefully into a homogenous mass using temperature and pressure, and pulled into an endless strand. During this process, humidity is drawn from the wooden fibres and the material is protected against humidity penetration by the pure polymer. This is also the step in which the material is coloured using one of the more than 30 inspiring and durable colours.

Our quality promise

For more than 20 years now, our guarantee for success has been not only our innovative product development and high-quality design, but also continuous quality and stress tests. As a member of the Qualitätsgemeinschaft Holzwerkstoffe e.V. Berlin, the German Quality Association for wood composite materials, NATURinFORM GmbH is a driver for ensured quality production. Constant tests control the decks' slip resistance (even when wet), their suitability as a toy, resistance against wood-destroying fungi, and fire performance. Additionally, we generate evidence, for example, of environmentally-friendly product declarations on sustainability of building products. This is how we are contributing to sustainable building and construction.

Read more about our sustainable product life cycle here.





Is WPC easy to work with?

You should be able to enjoy your area in the long term. This starts with easy assembly. We offer all important detailed solutions as accessories with additional processing tips. For longterm durability and safe and professional installation, our instructions, videos and detailed installation instructions will help you.





Accessory system

Our accessory systems are specially designed to meet the requirements of terraces, Facades and fences. We offer you various options for laying, care and lighting for your intended use. Various substructures, reinforcements, supports for height adjustment, decorative connections and finishes, as well as ventilation options, offer you great freedom of design.

Special colours and lengths

With our colour variants (ColourEDITION, multicoloured and monochrome) and special lengths, we have captured the spirit of the times. Depending on your preference, you have the choice 30 or 50 sqm further colour variants to choose and special lengths from approx. 2 to about 13 meters – individually tailored to you and your project. Our special solutions are available on request. Discover your personalised colour and shape for your favourite spot!

Instructions and planning


So that you can start your project safely and professionally, we offer you instructions and videos on assembly for all our products. These are created by experts from the field and updated regularly. They contain all information relating to the materials, properties, planning principles and correct use. Also discover our decking planner, which you can use to effortlessly plan your future terrace virtually. Visit our website and discover our planners, information and brochures at www.naturinform.com

Videos


Visit our homepage to find videos on all of our WPC products, for example mounting and laying films, and also interesting information on care and cleaning options.




Lemon yellow




Sun yellow




Brick red




Natural



Moss green




Titanium grey



Sea blue



Cream white



Forest green



Graphite grey



Granite grey



Dolomite grey



Basalt grey



Oak brown



Amber brown



Walnut brown



Chestnut brown

Multicoloured

Vibrant colour palette

The special feature of our multi-coloured products is the individual, natural colouring. From now on, you can purchase further products with this natural colouring - and that already from a minimum quantity of 30 m² for our facade profiles and 50 m² for patio decks.

- Minimum quantity of patio decks 50 sqm, facades 30 sqm, min. 10 pieces per individual length, delivery time on request

	Graphite grey	Granite grey	Dolomite grey	Basalt grey	Oak brown	Amber brown	Walnut brown	Chestnut brown
Massive decks								
RATIONAL ^{select}		●					●	
EXCLUSIVE		●			●	●	●	●
SMART		●					●	
STRONG		●	●	●	●	●	●	●
NATURELINE		●					●	
COMPACT, unbrushed	●	●		●	●	●	●	●
POPULAR ^{select}		●					●	
Honeycomb profile decks								
COMPACT ^{plus}				●	●	●		●
Facades								
CREATIVE		●		●			●	
CREATIVE ^{exclusive}		●			●	●	●	●

Monochrome

Pure natural shades


From now on you can purchase our products not only in the respective standard colours, but additionally in the colours of our entire range - and this already from a minimum quantity of 30 m² for our facade profiles and 50 m² for patio decks.

- Minimum quantity of patio decks 50 sqm, facades 30 sqm, min. 10 pieces per individual length, delivery time on request


	Pebble	Grey	Stone grey	Lava grey	Anthracite	Linen	Sisal	Clay	Brown	Tobacco	Black brown
Massive decks											
RATIONAL <small>select</small>			●			●	●	●		●	●
URBAN		●	●	●	●				●		●
EXCLUSIVE	●	●	●		●	●	●	●	●	●	●
SMART	●		●	●		●	●	●		●	●
STRONG			●	●		●	●	●		●	●
ROBUST	●		●	●		●	●	●		●	●
COMPACT, unbrushed	●		●	●		●	●	●		●	●
POPULAR <small>select</small>						●	●	●	●	●	
Honeycomb profile decks											
COMPACT, unbrushed	●		●	●		●	●	●		●	●
Facades											
CREATIVE	●	●	●	●	●	●	●	●	●	●	●
CREATIVE <small>exclusive</small>	●	●	●		●	●	●	●	●	●	●




Pebble




Grey




Gravel




Stone grey




Lava grey




Anthracite




Linen




Sisal




Clay




Sand




Brown



Tobacco



Umbra



Black brown

Service

We are her for you



Free sample order

We offer a wide range of colour shades as well as different surfaces of our products. But even the best possible photographic material is sometimes not enough to give a meaningful impression. Use our free sample order and convince yourself!



Patio Planner

With over 15 models and more than 30 colours, we offer the most comprehensive Range of high quality patio decks. With our patio planner you can plan your dream patio easily and conveniently from home - including Issue of material lists, dealer search and subsequent support from the dealer.



Retailer search

Are you planning a project and still looking for a dealer? Use the Naturinform retailer search and find the right retailer in your area. Via the dealer search you will also find dealers where you can view sample areas or who have stocks of our WPC products.

Our Products



massive deck
natural wood look


NATURELINE



Inspired by nature. The NATURELINE translates all the beauty of wood into solid decking with a natural look and feel. An innovative process gives the wood composite decking an individual, natural and multi-coloured wood grain and a pleasant surface structure. Its three warm wood tones – oak brown, chestnut brown, amber brown – and the two grey tones – graphite grey and basalt grey – are inspired by natural colours. And each decking is unique. NATURinFORM is the first German manufacturer to offer a solid extruded and fully dyed multi-coloured decking of this premium quality.


Informations

Format	width ca. 139 mm, height ca. 21 mm
Surface	with wooden grain, finely brushed / finely striated, unbrushed
Slip resistance	R12, wooden grain / R11, finely striated
Standard lengths	ca. 3 m / ca. 4 m / ca. 5 m / ca. 6 m
Special lengths	2 m to 13 m at extra charge
Special colours	from 50 sqm per colour available
Requirements	1 square metre consists of ca. 7 metres of patio decks
Weight	ca. 3,2 kg/m



co-extruded massive deck
particularly easy care

RESISTANT^{pro}



Sand

Umbra

Gravel

Thanks to its structured surface, our optimised deck is particularly non-slip, hard-wearing and low maintenance. You neither have to paint nor oil. In an innovative production process this core is covered with a layer of polymere that protects it all over. This protective cover makes the surface water repellent and guarantees stain resistance. Because it is very UV resistant the colours will not change temporarily. This resistant patio deck is extremely suitable for surfaces partially covered by a roof. Choose between warm sand and the vibrant shade umbra and modern gravel. Its surface is structured and brushed on one side and therefore looks more natural than its predecessor. Laying it on one side with a small gap width of ca. 5 mm creates an especially uniform and elegant look.

Informations

Format	width ca. 138 mm, height ca. 23 mm
Surface	one side structured, brushed
Slip resistance	R13
Standard lengths	ca. 4 m / ca. 6 m
Special lengths	none
Requirements	1 square metre consists of ca. 7 metres of patio decks
Weight	ca. 3,7 kg/m



Photo: Private property, Grey with wooden grain. More impressions online!

massive deck
intensive wood grain

ROBUST



Brown

Grey

Anthracite

Stability and elegance. The ROBUST has a noble, wood-like appearance due to its particularly intensive grain. The stability of this solid decking is inviting for both exuberant celebrations, but also quiet moments of relaxation. A favourite spot to enjoy. If you are planning an unusually shaped terrace with curves, this solid decking is perfect for you. Harmonious transitions to the garden can also be optimally realised with this. The ROBUST can be laid on both sides, either with the wood grain lightly brushed or finely striated unbrushed. Thanks to the high-quality wood composite material, you do not have to worry about splinters and cracks.

Informations

Format	width ca. 139 mm, height ca. 21 mm
Surface	with wooden grain, finely brushed / finely striated, unbrushed
Slip resistance	R12, wooden grain / R11, finely striated
Standard lengths	ca. 3 m / ca. 4 m / ca. 5 m / ca. 6 m
Special lengths	2 m to 13 m at extra charge
Special colours	from 50 sqm per colour available
Requirements	1 square metre consists of ca. 7 metres of patio decks
Weight	ca. 3,2 kg/m



massive deck
extra narrow joint dimension

URBAN



Refined finesse! The new URBAN patio deck emphasises modern buildings with its subtlety without shouting for attention. Ideal for quiet, modern state-of-the-art architecture and a modern life-style, which is to be continued outdoors. The massive deck is available in five quiet natural colors – linen, sisal, clay, tobacco and gravel- with a finely grained, evenly brushed surface. Special colours – to match the building – are available on request. Thanks to the innovative deck cross section and our innovative laying aid, it is possible to achieve a joint gap of only 5 millimetres.

Informations

Format	width ca. 162 mm, height ca. 21 mm
Surface	one-sided brushed
Slip resistance	R12
Standard lengths	ca. 3 m / ca. 4 m / ca. 5 m / ca. 6 m
Special lengths	2 m to 13 m at extra charge
Special colours	from 50 sqm per colour available
Requirements	1 square metre consists of ca. 6 metres of patio decks
Weight	ca. 4,1 kg/m



Photo: Badehaus Babylon Cologne, Basalte grey one-sided embossed. More impressions online!

massive deck
extra narrow joint dimension

EXCLUSIVE



Dolomite grey

Basalt grey

Lava grey

Pure elegance. Noble grey with a narrow joint. The EXCLUSIVE, with its three new grey tones in a noble natural stone look, is the decking board for puristically clean architecture. The colours range from light dolomite grey to cool basalt grey and warm lava grey. The particularly narrow joint width of 5 mm instead of 7.5 mm gives the decking, which has impressive, lively colours, an elegant appearance. The EXCLUSIVE, with its special width of 162 mm, can be laid on one side only. The matte, embossed surface conjures up a particularly even and elegant overall appearance. Enjoy your exclusive favourite spot!


Informations

Format	width ca. 162 mm, height ca. 21 mm
Surface	one-sided embossed, matt
Slip resistance	R11
Standard lengths	ca. 3 m / ca. 4 m / ca. 5 m / ca. 6 m
Special lengths	2 m to 13 m at extra charge
Special colours	from 50 sqm per colour available
Requirements	1 square metre consists of ca. 6 metres of patio decks
Weight	ca. 3,8 kg/m



massive deck – with general
building inspectorate approval

POPULAR **massive**



The POPULAR in the massive version is solid decking which has been popular for many years and which provides a relaxed leisure atmosphere on numerous terraces and balconies. In 2017, as a specialist in wood composite materials that are made in Germany, we received the general building inspectorate approval (No. Z-10.9-484) for this massive deck. The German Institute for Building Technology in Berlin (DIBt) is thus granting approval for the first time for patio decking made of a wood composite material without this being based on a surface laid in the composite. This means that the decking can be laid as a load-bearing floor outdoors – even in public buildings. For you, this means a great deal of planning security and extends the areas of application to balconies, roof terraces, loggias, staircases and stair landings without the need for additional measures to prevent people falling through. The decking must be installed in accordance with the approval regulations!

Laying must be done according to the approval regulations!
Details on our homepage www.naturinform.com

Informations

Format	width ca. 138 mm, height ca. 25 mm
Surface	finely striated, brushed / widely striated, brushed
Slip resistance	R13, finely striated / R13, widely striated
Standard lengths	ca. 4 m / ca. 6 m
Special lengths	2 m to 13 m at extra charge
Special colours	from 50 sqm per colour available
Requirements	1 square metre consists of ca. 7 metres of patio decks
Weight	ca. 3,6 kg/m



Photo: Private property, Graphit grey wavy. More impressions online!

massive deck
elegantly corrugated

POPULAR ^{select}



Black brown

Grey

Stone grey



Lava grey

Anthracite

NATURELINE Colour edition:



Oak brown

Amber brown

Chestnut brown



Graphite grey

Basalt grey

The POPULAR select, with its elegantly corrugated surface offers you a particularly wide range of design possibilities for your favourite spot. The POPULAR select is not only available in the basic colours black-brown, grey, stone grey, anthracite and lava grey. It is also available as a multi-coloured NATURELINE edition, in the five natural colours of the NATURELINE, which put all the beauty of wood into WPC decking. The POPULAR select can be laid on both sides as solid decking, either on the finely striated or on the corrugated side with wooden grain. The natural-looking colour gradient, the individual grain and the surface structure give the POPULAR select a special feel-good factor for your favourite spot.

Informations

Format	width ca. 138 mm, height ca. 26 mm
Surface	with wooden grain wavy, finely brushed / finely striated, finely brushed
Slip resistance	R11, wooden grain wavy / R10, finely striated
Naturlinie Edition	with wooden grain wavy, finely brushed / finely striated, unbrushed
Slip resistance	R11, wooden grain wavy / R9, finely striated
Standard lengths	ca. 3 m / ca. 4 m / ca. 5 m / ca. 6 m
Special lengths	2 m to 13 m at extra charge
Special colours	from 50 sqm per colour available
Requirements	1 square metre consists of ca. 7 metres of patio decks
Weight	ca. 3,5 kg/m



massive deck
extra wide, for large areas

RATIONAL ^{select}



Brown Grey Lava grey



Anthracite

NATURELINE Colour edition:



Oak brown Amber brown Chestnut brown



Graphite grey Basalt grey

Harmony on a large scale. The RATIONAL select with its fluted surface captivates with its extremely harmonious appearance. With a width of approx. 244 mm and a cutting length of 2 to 13 metres, the large-format decking is ideal for large open spaces, such as terraces, roof gardens or also courtyards and swimming pool facilities. The RATIONAL select can be used on both sides. When selecting the surface, you can choose between the finely striated surface with wooden grain or the proven block strip structure. The RATIONAL select is not only available in the four basic colours, but also as the RATIONAL select NATURELINE in the colours of the NATURELINE. The select NATURELINE edition combines the beautiful multi-coloured natural shades of the NATURELINE with the elegantly corrugated surface of the select lines.

Informations

Format	width ca. 244 mm, height ca. 21 mm
Surface	with wooden grain wavy, slightly brushed / Blockstripes, brushed
Slip resistance	R11, wooden grain wavy / R13, Blockstripes
Naturlinie Edition	with wooden grain wavy, slightly brushed / Blockstripes, unbrushed
Slip resistance	R11, wooden grain wavy / R10, Blockstripes
Standard lengths	ca. 3 m / ca. 4 m / ca. 5 m / ca. 6 m
Special lengths	2 m to 13 m at extra charge
Special colours	from 50 sqm per colour available
Requirements	1 square metre consists of ca. 4 metres of patio decks
Weight	ca. 5,3 kg/m



Photo: Private property, Brown finely striated. More impressions online!

massive / honeycomb profile deck
price conscious

COMPACT



Brown

Grey

Anthracite

Functionality and freedom of design. The COMPACT as a solid or honeycomb profile decking combines functionality with a stylish wooden decking look and does so with a good price-performance ratio. It is finely fluted on one side and has Blockstripes on the other side, with both sides being brushed to achieve the natural wooden decking look. With its surface structure and the three appealing colours – brown, grey and anthracite – the COMPACT invites you to stay a while and relax. The various colours and surfaces, as well as the solid and lightweight honeycomb profile decking offers you a great deal of design freedom for your favourite spot.


Informations

Format	width ca. 139 mm, height ca. 21 mm
Surface	finely striated, brushed / Blockstripes, brushed
Slip resistance	R12, finely striated / R13, Blockstripes
Standardl lenghts	ca. 3 m / ca. 4 m / ca. 5 m / ca. 6 m
Special lenghts	2 m to 13 m at extra charge
Special colours	from 50 sqm per colour available
Requirements	1 square metre consists of ca. 7 metres patio decks
Weight	honeycomb: ca. 1,9 kg/m, massive: ca. 3,2 kg/m



honeycomb profile deck
multicoloured, finely embossed

COMPACT plus



Walnut brown Graphite grey Granite grey

Style and individuality. The COMPACT plus as a honeycomb profile decking convinces with its functionality paired with a finely embossed and stylish multi-coloured wooden decking look. It is finely fluted on one side and embossed in Blockstripes on the other, with both sides slightly brushed. Custom colours have been developed especially for the COMPACT plus. Choose the exclusive walnut brown colour tone to create a cosy and warm atmosphere or the noble granite or graphite grey for a modern appearance. As with all NATURinFORM decking, the installation of the COMPACT plus is possible without visible screws.

Informations

Format	width ca. 139 mm, height ca. 21 mm
Surface	finely striated, finely brushed / Blockstripes embossed, finely brushed
Slip resistance	R9, finely striated / R10, Blockstripes embossed
Standard lengths	ca. 3 m / ca. 4 m / ca. 5 m / ca. 6 m
Special lengths	2 m to 13 m at extra charge
Special colours	from 50 sqm per colour available
Requirements	1 square metre consists of ca. 7 metres patio decks
Weight	ca. 1,9 kg/m



Photo: Ludwigsgarten, Brown one-sided embossed. More impressions online!

zero degree deck
particularly easy-care

SMART



Brown Grey Anthracite

NATURELINE Colour edition:



Oak brown Amber brown Chestnut brown




Graphite grey Basalt grey

Zero-degree decking and 100 percent relaxation. The SMART is particularly easy to care for and therefore particularly durable. Due to a slight curvature, water can flow off automatically and the decking can be laid without a slope. The surface supports this effect and so prevents water from accumulating on the terrace due to weather conditions or cleaning. Thanks to the stone embossing on its surface, the zero-degree decking, like all our decking, is non-slip and barefoot-friendly. Despite its low weight, the SMART has the advantages of a classic solid decking and thus ensures high stability. It is available in our popular colours: brown, grey and anthracite and new in the five tones of the NATURELINE edition.


Informations

Format	width ca. 140 mm, height ca. 19 mm
Surface	one-sided embossed, unbrushed
Slip resistance	R10
Naturline Edition	one-sided embossed, unbrushed, matt
Slip resistance	R10
Standard lengths	ca. 3 m / ca. 4 m / ca. 5 m / ca. 6 m
Special lengths	2 m to 13 m at extra charge
Special colours	from 50 sqm per colour available
Requirements	1 square metre consists of ca. 7 metres of patio decks
Weight	ca. 2,7 kg/m



bearing deck
highly stable and load-bearing

STRONG



Brown

Grey

Anthracite

Stability and naturalness. With its height of 38 mm, our STRONG king pile decking is extremely load-bearing and versatile, for example as a floor covering for stairs, jetties, arcades or terraces. Due to its stability, it also offers solutions for spanning larger distances and without the complex construction of a load-bearing substructure. The king pile decking is visually impressive with its natural wood grain and is available in brown, grey and anthracite. The surface is either lightly brushed or finely fluted and thus appears both very natural and high quality. Thanks to the wood composite material used, the king pile decking is not only splinter-free, but also extremely easy to maintain, making it ideal for your favourite outdoor spot.

Informations

Format	width ca. 140 mm, height ca. 38 mm
Surface	with wooden grain, finely brushed / finest striated, unbrushed
Slip resistance	R12, wooden grain / R12, finest striated
Standard lengths	ca. 4 m
Special lengths	2 m to 13 m at extra charge, delivery time on request
Special colours	from 50 sqm per colour available
Requirements	1 square metre consists of ca. 7 metres of patio decks
Weight	ca. 6,2 kg/m



Photo: Baufachzentrum, Oak brown with wooden grain. More impressions online!

Facade profile
elegant and individual

CREATIVE



Are you looking for a Facade system that is durable, weather-resistant and easy to maintain? Then the CREATIVE is what you are looking for. The solid rhombus strip made of our quality wood composite material is used as a Facade system for new and existing buildings. In combination with appropriate thermal insulation, the rhombus strip is used as a suspended, rear-ventilated system. The Facade strip, which is available in three different sizes, can be laid both horizontally and vertically. For designing the corners, you can cut the Facade profile flexibly to mitre at any angle or use the modern Facade corner made of stainless steel, which is quick and easy to install and forms a shock-proof transition to the strip.

Informations

Total height	small: 70 mm, xl: 103 mm, xxl: 152 mm
Covered width	small: 66 mm, xl: 99 mm, xxl: 148 mm
Thickness	small: ca. 18 mm, xl: ca. 18 mm, xxl: ca. 18 mm
Surface	with wooden grain, finely brushed
Standard lengths	ca. 4 m / ca. 6 m (special lengths at extra charge)
Special colours	from 30 sqm per colour available
Requirements	small: 1 square metre consists of ca. 15 metres xl: 1 square metre consists of ca. 10 metres xxl: 1 square metre consists of ca. 6,8 metres
Weight	small: 1,15 kg/m, xl 1,9 kg/m, xxl 2,8 kg/m



Photo: Doppelhaus, Basalte grey one-sided embossed. More impressions online!

Facade profile
finely embossed and customised

CREATIVE **exclusive**



Dolomite grey

Basalt grey

Lava grey

Our CREATIVE in the new exclusive version is also durable, weatherproof and easy to clean. With its three new grey tones in a noble natural stone look, it is the Facade cladding for puristically clean architecture. The colours range from light dolomite grey to cool basalt grey and warm lava grey. The visual effect is further elevated by the refined surface embossing. The solid rhombus strip made of our high-quality wood composite material is used as a Facade system for new and existing buildings. In combination with appropriate thermal insulation, the rhombus strip is used as a suspended, rear-ventilated system. This Facade strip can also be installed horizontally and vertically. For a clean finish, shape the corners using mitre cuts or stainless steel corners from the accessories range.

Informations


Total height	small: 70 mm, xl: 103 mm, xxl: 152 mm
Covered width	small: 66 mm, xl: 99 mm, xxl: 148 mm
Thickness	small: ca. 18 mm, xl: ca. 18 mm, xxl: ca. 18 mm
Surface	one-sided embossed matt
Standard lengths	ca. 4 m / ca. 6 m (special lengths at extra charge)
Special colours	from 30 sqm per colour available
Requirements	small: 1 square metre consists of ca. 15 metres xl: 1 square metre consists of ca. 10 metres xxl: 1 square metre consists of ca. 6,8 metres
Weight	small: 1,15 kg/m, xl 1,9 kg/m, xxl 2,8 kg/m



DL_R
26 db
Schalldämmung*

privacy shield, noise protection
flexible insulation

FLEXIBLE



Mahogany Chestnut brown Titanium grey

Anthracite

Do you want a place where you can simply switch off and withdraw from everyday life? The new FLEXIBLE privacy screen creates a favourite spot where you can let yourself go completely. This means not only being undisturbed by glances, but also enjoying peace and quiet. Thanks to the FLEXIBLE privacy screen / sound insulation, noise pollution is a stress factor of the past. A special seal and special slats provide improved sound insulation, which demonstrably reduces annoying ambient noise by 26 dB. The FLEXIBLE has a tested airborne sound insulation of category B3 (equivalent to 26 dB) – an outstanding advantage that sets our privacy / sound insulation apart from others and makes it unique. The new privacy screen is available in mahogany, chestnut brown, modern titanium grey and anthracite.

Informations

Final format	height from the ground ca. 180 x 180 cm
Inner elements	height ca. 180 cm, width ca. 175 cm
Surface	unpolished
Posts	to embed in concrete or for bolting
Material	Aluminium post, WPC slats
Colours	Brown, Anthracite
Noise prevention	*26 dB, corresponds to Category B3 of noise protection according to DIN EN 1793-2



Photo: Private property, Titanium grey unpolished. More impressions online!

privacy shield
cost-effective efficiency

EFFECTIVE



The EFFECTIVE privacy screen brings a reasonably priced variant into our range and offers a wide variety of designs. Due to the modular design, heights and widths are freely selectable. In the colours mahogany, chestnut brown, titanium grey and anthracite in combination with the aluminium post as a ground anchor or with a base plate for dowelling, it offers design freedom for all applicable designs. Corner constructions can be combined with the corner post or the post of the FLEXIBLE. The EFFECTIVE uses tongue-and-groove profiles that can be simply stacked on top of each other and the height and width can be adjusted variably. The EFFECTIVE adapts to your personal needs with decorative inserts made of stainless steel or acrylic (simple size of one slat).

Informations

Final format	height from the ground ca. 178 x 180 cm
Inner elements	height ca. 175 cm, width ca. 180 cm
Surface	unpolished
Ground posts	to embed in concrete or for bolting
Corner posts	to embed in concrete
Material	Aluminium post, WPC slats
Colours	Brown, Anthracite

Interesting facts

Product characteristics

The wood composite made by NATURinFORM is a material combination made of 70 % wooden fibres of pine and spruce, ca. 30 % food-safe PE, UV stabilizers and colour pads. Due to the high percentage of wood the product acts like such, with changing colour caused by weathering.

Advantages


Our decks made of wood composite are non-slippery and barefoot friendly - without splinters or tears. Life quality is already increased by its easy maintenance. You can save time, work and money, as annual oiling or painting is unnecessary. Special lengths from 2 m to 13 m are possible.

Colour development

In general, all of our products go through a maturing process that is triggered by light, air, sun, location, and humidity. This colour change can proceed, depending on the weather impact, and where the product is laid. The alternation of sunlight, shade, and humidity, can lead to a change in the colour, for example, so that the WPC profile decks become lighter, depending on the exact utilization and set up of the product. These colour changes due to weathering are typical for the product, as for the natural product wood, and are not a defect, but a normal product feature due to the high percentage of wood. Due to the high percentage of wood the products' colour behavior is very similar to that of the natural product wood. Different kinds of weather impacts, i.e. if part of the surface is covered by a roof, can lead to different colouring developments.

Please note that the shades of our ColourEdition decks can change slightly due to weathering and natural maturing processes. This is because of the high percentage of wood, which, as a natural product, can change its colouring. In production this means that we process a quality that is as even as possible. However, fluctuations in the high-quality raw material may nevertheless result in differences in colour when different batches are installed. This does not affect the durability and is therefore not a reason for complaint.

Patina formation on brushed and fully weathered boards.



recently laid

after a few days

after 3-6 months

Curvature in privacy and noise protection fences

As all of NaturinForm's privacy and noise protection fences (EFFECTIVE, FLEXIBLE, as well as our universal slats) are made of highest quality WPC profiles that exist to a high percentage, 70 %, of domestic wood, our WPC profiles weather very much like the natural product wood. Constant interaction between sun rays, shading and humidity lead to a change in colour, depending, in individual cases, on how they are actually used and installed. This can lead to the WPC profiles' fading, and they may also change their shape slightly, as in curve a bit. These shape and colour changes caused by weathering are, as with the natural product, specific to the product and are not a fault, but due to the high percentage of wood a natural, normal product feature.

Impact of chlorine or salt water

Chlorine and salt water have no negative effect on the characteristics of NATURinFORM's patio decks, facades, and privacy shields. tested according to DIN EN ISO 9227:2017-07. When laying a patio, stainless steel V4A mounting brackets must be used, instead of standard stainless steel brackets.

Temperature effect

Wood composite materials can react to temperature fluctuations with visible expansion and shrinkage behaviour. Therefore, you need to incorporate expansion joints and appropriate distances in your fixed components. The decks should be laid with brackets, so that the individual decks can be moved with ease.

Impact of Insolation

On hot days, and in areas sheltered from wind, it may not be possible to use with direct skin contact, due to high surface temperatures.

Water stains

On partially roofed terraces, water stains may form in the transition area between roofing and open space. Rainwater is flushed through the covering

to the roofing and dries off later. Dust particles are thereby dampened and then dry out, remaining on the surface. On the open area, which is constantly exposed to sun and rain, this effect is not very strong and is due to the manner of construction. There is no impact on the quality and it is therefore not a reason for complaint. The water stains can usually be removed using clear water and standard cleaning tools.

Wood Pockets

NATURinFORM products consists of approx. 70% wood fibres, which are specially treated, dried and fed into the manufacturing process. In this raw material there may be low inclusions of other natural fibres, such as bast (the transition layer from bark to wood), for example. As a result of weathering and humidity, these particles can become visible on the surface.

Electrostatic charge

An electrostatic charge can occur when relative humidity is low and there has been a longer period of aridity. By using a ground cable between the surface and a balustrade, wall, or anything equivalent, it is possible to avoid electrostatic charges.

Durability

Long-term durability is directly related to the well-planned and quick-drying substructure. It is important to avoid strain on the material through heat build-up or permanent waterlogging. Please take into account that dammed-up water can occur in roof terraces causing the substructure to be submerged in water.

Maintenance and care

Cleaning NATURinFORM products is absolutely uncomplicated using water. Slight dirt can easily be brushed off with a hose and broom or scrubbed. If there is more dirt it is possible to use a high pressure cleaner (not a steam cleaner) with a maximum of 80 bar, from a distance of at least 20 cm to the material. Because of the polymer particles our wood composite products are simple to maintain. Painting or oiling to extend its life expectation is unnecessary. With difficult stains, such as fat or soot, please use our specially developed biologically degradable cleaning agent.

Laying

Requirements per square metre

for NATURELINE, ROBUST, COMPACT, COMPACT ^{plus}, POPULAR ^{select}, POPULAR ^{massive}, STRONG, SMART, SMART NATURELINE, RESISTANT ^{pro} you require ca. 7 decks a 1 m each, ca. 2.5 m base profile, and ca. 16 stainless steel brackets with screws, for RATIONAL ^{select}, RATIONAL ^{select} NATURELINE ca. 4 decks, 1 m each, ca. 2.5 m base profile, and ca. 11 stainless steel brackets with screws. Patio feet: Depending on load-bearing necessity: max. 4-5 pieces per square metre. For EXCLUSIVE, URBAN you require ca. 6 decks a 1 m each, depending on local conditions ca. 2.5 m base profile, and ca. 14 stainless steel brackets with screws

Installation direction

In the manufacturing process, the deck surfaces are brushed, which creates a fibre direction. Failure to observe the deck fibre direction during installation may lead to varied colour impressions due to banding. The lateral grooves of the decks are marked with arrows for orientation to facilitate visually uniform laying.

Laying / assembly manuals

Laying manuals on the internet and extensive instructions show how important it is to lay the decks according to the guidelines. The adherence to the assembly manual for the privacy shield and the laying manual for the decks are the basis for the guarantee that we provide. You can find and download these laying and assembly manuals at www.naturinform.co.uk.

Certificates

We offer you the highest quality. That is why we subject our products to continuous quality controls and stress tests. You will always receive the current overview of our test reports online.



Qualitätsgemeinschaft Holz

As a member of the Qualitätsgemeinschaft Holzwerkstoffe e.V. Berlin, NATURinFORM GmbH is a driver for secured quality production. The resulting high demands thereof are tested internally on a daily basis, and regularly also at external testing institutes with extremely good results. Our wood composite material quality consists to 100 % of German wood fibres with the PEFC-certification and the pure polymer used is freshly produced PE.



PEFC-certified

The HW-Zert GmbH, of PEFC Deutschland e. V. , hereby confirms that NATURinFORM GmbH uses a company monitoring system that conforms with the Chain-of-Custody-Requirements for PEFC programmes for the Endorsement of Forest Certification according to the German standards PEFC D 1003:2013 ‚Produktkettenachweis für Holzprodukte - Anforderungen‘ German translation of the International PEFC standards PEFC ST 2002: 2013 in the currently valid version (see also www.pefc.org).

Resistency inspection against wood-destroying fungi - Durability Class 1 (very durable)

In the area process engineering wood materials at the Fraunhofer-Institut für wood research Wilhelm-Klauditz-Institut WKI, Braunschweig, in February 2012 the resistency of our wood composite decks were tested in accordance to DIN/TS 15534-1 (2007) or DIN ENV 12038 (2002) respectively. The evaluation took place according to testing wood (DIN CEN/TS 15083-1) with the result - Durability Class 1 - very durable.



Test ‚Safety of Toys Part 3: Migration of specific elements‘ - DIN EN 71-3:1994

The Fraunhofer-Institut für wood research at the Wilhem-Klauditz- Institut WKI, Braunschweig, tested COMPACT in February 2013 for ‚Safety of toys‘. The test report confirms that the tested material is within the limits for ‚Safety for Toys - Part 3: Migration of specific elements‘ according to DIN EN 71-3:1994.



Evaluation fire behaviour - Class E

The ift Rosenheim GmbH tested POPULAR for its fire behaviour according to DIN EN 13501-1 with the result Class E. This is very comparable to wood.



Environmental product declaration according to ISO 14025 and EN 15804 EPD from the Institut Bauern and Umwelt e.V. (IBU)

Together with the VHI we are committed to sustainable building from EPDs for WPC patio decks and WPC facade elements at the IBU‘. (Verband der Deutschen Holzwerkstoffindustrie e. V.)



Climate Neutral Company

The TÜV NORD thereby confirms that ´on the basis of the calculated carbon footprint, the verified amount of CO2 emissions is compensated by appropriate certificates (Climate Change Standard TN-CC 020). Therefore NATURinFORM is permitted to use the TÜV NORD stamp ‚Climate-neutral company‘.



Evaluation non-slippery - DIN 51130 and DIN 51097

Our brushed deck surfaces are especially non-slippery - even when wet - and therefor very suitable for public areas (swimming pools, kindergardens, hotel patios, etc.). In individual cases the following test results were achieved with the TÜV Rheinland / LGA, according to DIN 51130. The test results can be found on the respective product pages.



Disposal

It is recommended to dispose of WPC-Leftovers in bulk rubbish collectors or waste facilities. This may be chargeable. Alternatively, NATURinFORM's customers can return their products (sustainable return policy.)

Return option

We are proud to be able to present you a quality product that is fully ecological and sustainable. In our production process we only use wooden fibres from suppliers that have been awarded the PEFC certification. These are wooden products from sustainable forestry that meet ecological standards. The certification acknowledging that our NATURinFORM WPC decking profiles meet the high quality standards of the Qualitätsgemeinschaft Holzwerk confirms not only the technical and health safety of our products, but also their environmental compatibility.

We are also able to recycle our WPC products by feeding them back into our production procedure to reuse them in an environmentally friendly and sustainable way. Therefore we are happy to take back our original NATURinFORM WPC products if you deliver them to our factory Redwitz an der Rodach, Flurstrasse 7, after we have checked that the product is clean, free of charge.

As there is no legal liability for us to do so, and this is a voluntary and non-binding take-back option, we recommend you get in touch with us before returning your used WPC products to guarantee a smooth procedure. By acting with an ecological conscience you are contributing to an environmentally-friendly production cycle.

Property references

You will find all object references always up-to-date on our website <https://www.naturinform.co.uk/property-references/>

NATURinFORM GmbH
Flurstraße 7, D-96257 Redwitz a. d. Rodach
Tel +49 (0) 9574 65473-0 Fax +49 (0) 9574 65473-20
info@naturinform.com www.naturinform.com

