

silvadec



Life is composite

Let your desires speak! Discover our composite decking with an attractive ipe exotic wood finish! P. 4 Our Advice on MAINTENANCE P. 34

OUR SOLUTIONS FOR OUTDOOR FEATURES

DECKING

P. 07

FENCING

P. 19

CLADDING

P. 30

DECKING · FENCING · CLADDING









Contents

New - Our composite decking	
with the aesthetic appeal of Ipe exotic wood P). Z
Our decking P). 7
Our fencing P). 19
Our cladding types P	. 30
Our advice on maintenance). 34

Editorial and graphic design:

Ekinox communication

Photo credits:

Yves Berrier, Samuel Bigot, Franck Betermin, AdobeStock

Published in January 2023

The photos and colours depicted in this document are not contractually binding. The information is provided for reference only and may be modified without notice.

Thanks to:

Mailys Bonnet, 727 Sailbags, Keneah Jardin, Le rendez-vous Carnac, Jean-Michel Mesguen and PCA-Stream







*Terms of the warranty can be downloaded from www.silvadec.com



We live in a composite world.

Our planet is complex, mostly composed of water, gas, rock and fire. and with a surface that offers us mountains, deserts, oceans and forests.

As crew members on the same vessel, inhabitants of Earth, mankind and all other species in nature coexist in every imaginable way. Without a doubt, combining human activity with nature's needs is the challenge of the millennium.

Our Silvadec® composite is ready to fulfil its role in this challenge by proposing an innovative material made from wood - natural by nature - combined with a polymer through cutting-edge technological research, and yours to experience. This approach aligns with the circular economy principles that are, and will remain, part of our DNA. The French and German expertise we have developed is now patented.

This means that our deck, fence and cladding boards are the best assets for composing outdoor living spaces where design, traceability, quality and durability all converge.

What drives us? The desire to provide bespoke, environmentally responsible solutions dedicated to people and their homes, opening up the scope of outdoor design possibilities.

Since our beginnings as pioneers in composite, we have become the European leader.



NEW decking

You won't be able to resist our lpe Atmosphere decking!

Our new Ipe Atmosphere deck board covers all the colour shades of the Ipe wood deck boards, offering a sustainable alternative to exotic wood.

The colours of this Silvadec® wood composite board will remain stable over time, with no treatment.

There is no need to apply a saturator; your decking won't fade to grey.











*Terms of the warranty
can be downloaded



THE + POINTS Attractive finish of Ipe wood! Stable colour without treatment (does not fade to grey) Splinter-free **Rot-resistant** Compatible with all the decking accessories (see page 16) **USES** · Residential Public facilities · Decking and swimming pool decks ·Outdoor kitchens. including in sheltered or semi-sheltered areas

The sustainable alternative to tropical wood!

Created by combining two materials (wood flour and polymers) using co-extrusion technology, our Atmosphere board offers highly concentrated performance. Its colour remains intense as the seasons pass.

Being rot-resistant, it suits both outdoor and sheltered areas. It is waterproof, and therefore ideal for outdoor dining as clean-up of household stains is easy!

Its slip resistance means that you can relax on your decking with complete peace of mind.



*Terms of the warranty

can be downloaded

from www.silvadec.com

2

Quality:

Our commitment: to offer you a high-quality, sustainable product that is easy to clean, robust and built to last, thanks to its unique formulation made mainly from wood: approximately 2/3 wood flour and 1/3 high-density polyethylene (without additives).

When it comes to defining "rot-resistant", our 25-yearguaranteed boards speak for themselves.

Design:

At your service is the expertise of our research and development teams; each year they come up with a wide range of products, colours and finishes you can use to personalise your outdoor space.

With top-ranking architects putting their faith in us, our boards now grace the exteriors of international landmarks such as the Hôtel Prince de Galles in Paris, and Barcelona Airport, not forgetting the decking high up on Montparnasse Tower. You, too, can choose a bold design suited to your taste.



Silvadec hits the right note! Creating your outdoor space by harmonising four elements

3

Circularity:

Our recyclable composite is made from wood chips and finely ground sawdust sourced from local sawmills, combined with virgin or recycled polymer.

So it should tick all your boxes as regards environmental responsibility.

Feeling unsure? Why not contact our customer service? We like to keep everything transparent.

4


Outdoor space as a lifestyle:

Every day, the women and men behind the scenes at Silvadec strive to bring you the best solutions for outdoor spaces.

Our ranges open the scope of possibilities for your decking, fences and cladding.

Over to you to tailor the space and the life enjoyed in it!





The hardest part is deciding!

Choose your decking from our selection of composite deck boards.
Elegance, Emotion and Atmosphere all offer different aesthetic and technical qualities, and are compatible

with all our installation and finishing accessories.


Elegance board	P. 8
Emotion board	P. 12
Atmosphere board	P. 14
Create your decking	P. 16



What colour will your board be?

Whatever the colour, the temperature of our boards in the sun is close to that of exotic wood deck boards, except for the Atmosphere board which has a protective polymer coating.

Due to their high proportion of wood, our boards heat up less in the sun than other composites. An advantage of dark colours is that they are less prone to show dirt, while light colours are less hot on bare feet.



The + points

Splinter-free Does not fade to grey like solid wood

No treatment is required

Rot-resistant

UV-resistant Frost-resistant

Guaranteed for 25 years*

Choose the finish that best suits your project

	Grooved finish	Smooth finish	Embossed finish
SCRATCH RESISTANCE	***	*	**
EASE OF REPAIR OF THE SURFACE APPEARANCE (SIMPLY BY SANDING)	**	***	*
SLIP RESISTANCE	***	**	**
COMFORTABLE BAREFOOT ON SUNLIT SURFACE (T° OF THE BOARD IN THE SUN) COMPARED TO EXOTIC WOOD	**	**	**
EASY CLEAN-UP OF HOUSEHOLD STAINS	**	**	**


USES



A bronzing phenomenon, entirely natural and temporary, will cause the boards to turn yellow when first exposed to UV rays. After a few weeks outdoors exposed to UV and rain, they return to almost their original colour! (see p. 34)

^{*} Terms of the warranty can be downloaded from www.silvadec.com







Choose the smooth board for a bold, original design that mixes the different finishes in the Elegance range.



Available in 2 widths:







The + points

Splinter-free

Does not fade to grey like solid wood

No treatment is required

Rot-resistant

UV-resistant

Frost-resistant Guaranteed for 25 years*

*Terms of the warranty can be downloaded from www.silvadec.com

USES

 Decking and swimming pool decks
 Outside
(not suitable for covered or semi-covered locations)

	Smooth finish
SCRATCH RESISTANCE	*
EASE OF REPAIR OF THE SURFACE APPEARANCE (SIMPLY BY SANDING)	***
SLIP RESISTANCE	**
COMFORTABLE BAREFOOT ON SUNLIT SURFACE (T° OF THE BOARD IN THE SUN) COMPARED TO EXOTIC WOOD	**
EASY CLEAN-UP OF HOUSEHOLD STAINS	**



A bronzing phenomenon, entirely natural and temporary, will cause the boards to turn yellow when first exposed to UV rays. After a few weeks outdoors exposed to UV and rain, they return to almost their original colour! (see p. 34)





The + points

Splinter-free
Colour stability
No treatment required
Rot-resistant
Frost-resistant
Guaranteed for 25 years*

* Terms of the warranty can be downloaded from www.silvadec.com


USES

Residential
Public facilities
Decking and
swimming pool decks
Outdoor kitchens,
including in sheltered or
semi-sheltered areas

Brushed finish


SCRATCH RESISTANCE	**
SLIP RESISTANCE	***
COMFORTABLE BAREFOOT ON SUNLIT SURFACE (T° OF THE BOARD IN THE SUN) COMPARED TO EXOTIC WOOD	*
EASY CLEAN-UP OF HOUSEHOLD STAINS	***

BRUSHED APPEARANCE OF THE SURFACE





Create your decking



INSTALLATION ACCESSORIES



ALUMINIUM JOIST

Enables installation of widespaced pedestals: 60 cm for a private installation. . Joist: 63 x 40 x 3600 mm



COMPOSITE JOIST

Used only for flat installation on a concrete slab. Brown: 50 x 50 x 4000 and 50 x 50 x 3000 mm



SINGLE FASTENING CLIP AND STAINLESS STEEL SCREW

For board / joist intersections.



clips are not suitable for the aluminium joist



ALUMINIUM REMOVABLE CLIP

This is used to create an access hatch for an element located below the decking, or to make the decking partially removable. Packet of 10 clips with screws.



STAINLESS STEEL START AND END **CLIP**

This is used to fix the boards along the edge of the decking to each



STAINLESS STEEL **BUTTING CLIP**

This is used to join 4 board corners to a single joist using only one fastening clip. This clip is not compatible with the aluminium joist.



SPECIAL STAINLESS STEEL COMPOSITE **SCREWS**

Screws to match the colours of our deck board range.

FINISHING ACCESSORIES




FASCIA BOARD

Completes the decking. 70 x 20 x 2000 mm Available in all Elegance, Emotion and Atmosphere board colours.

FINISHING BOARD

For framing the decking. 138 x 23 x 4000 mm and 180 x 23 x 4000 mm Available in the colours of the Elegance and Atmosphere ranges.



NON-SLIP INSERT (ALUMINIUM AND EPOXY RESIN)

Complies with all non-slip requirements. is inserted between two deck boards. 45 x 23 x 2000 mm



ALUMINIUM CORNER PROFILE

Enhances the edge of the decking. It has a non-slip grooved upper surface. 37 x 74 x 2000 mm



INVISICLIP

Made of black rubber and very discreet, to conceal the clip. $10 \times 10 \times 80$ mm Packet of 30

LIGHTING ACCESSORY






Choose a modular fence that will last

Our Silvadec® fencing can be tailored to all your projects and any type of ground. It combines innovative and strong materials. Choose one of our Atmosphere or Aluminium fencing board models, then personalise your fence from the wide selection of design panels.

Atmosphere board	. P. 20
Aluminium board	P. 22
Fencing design panels	P. 25
Create your fence	P. 27
Doors	P. 29





The + points

Permanent and uniform colour Stain-resistant Easy to maintain Guaranteed for 25 years*

USES

Can be installed on a dwarf wall




wipe of a sponge!

Our fences can be installed up to a height of 1.8 m, and can withstand strong winds of up to 100 km/h.




^{*} Terms of the warranty can be downloaded from www.silvadec.com





→ Anthracite Grey



The + points

Compatible with all Silvadec® accessories and design panels Installed either "Solid" or openworked using dividers, which are

sold separately

Easy maintenance

Recyclable
Guaranteed for 10 years*



^{*} Terms of the warranty can be downloaded from www.silvadec.com





Dimensions: 21 x 148 x 1797 mm





Our wide range of accessories and design panels is compatible with both aluminium and composite fence boards.

This offers you the freedom to use composite and/or aluminium panels together, enabling you to create different moods in your garden.





PLANT MOTIF AMBIANCE

Plant motif design panel in aluminium

Fine, tapered grass styling in this lightly openworked design panel, 30 cm high, brings a touch of freshness to your garden.

REPLACES 2 FENCE BOARDS

Botanical Modular, pleasant and customisable. panel our galvanised steel trellis offers multiple possibilities to bring greenery into a fence! This unique decorative panel fits perfectly into the environment of your garden. Next, it's over to you to choose your plants!

MINERAL AMBIENCE



Our openwork design panel, 30 cm high, allows light to shine through, while its rounded shapes will bring harmony to your outside space.

REPLACES 2 FENCE BOARDS

Made of galvanised steel and decidedly modern, our panel fits harmoniously into the fencing. The next step is to fill it with gravel of whichever colour you choose!



CONTEMPORARY STYLE



Combining elegantly with our composite boards, this design panel, 30 cm high, offers a modern and refined style suitable for all outdoor environments.

REPLACES 2 FENCE BOARDS

Our glass panels allow light to shine through, bringing a touch of brightness and refinement to your fencing. Available in frosted glass (opaque) and transparent versions, with a height of 43.2 cm.

REPLACES
3 FENCE BOARDS




Create your fence



Anthracite Grey RAL 7016 matt






INSTALLATION ACCESSORIES



3-IN-1 HIGH-WIND **POST**

It is positioned at the start, middle and end of the fence. 70 x 64 x 1260 mm and 70 x 64 x 2315 mm



POST COVER

65 x 70 mm



DOUBLE-SHELL POST SUPPORT

Dedicated support for 3-in-1 high-wind post, for improved post hold. For a max. height of 1845 mm. 108 x 133 x 83 mm



POST FINISHING PROFILE

To give the fence an attractive finish. 27 x 9.5 x 1815 mm




WALL START SEMI-POST COVER

70 x 35 mm




TOP RAIL OR **BASE RAIL**

Each panel must have two rails mounted horizontally, one at the top and one at the bottom of the fencing. 26 x 30 x 1736 mm



HALFWAY SUPPORT PROFILE

Insert one profile at least every three boards. 23.3 x 24 x 1736 mm



BASE PLATE

Simplifies installation on sloping ground, by immediately creating a flat surface. Prevents the first board from coming into contact with the ground.

21 x 153 x 1798 mm



WALL START SEMI-POST

This is used for starting the fence against a wall, guaranteeing an elegant finish. 70 x 35 x 1845 mm



DIVIDERS

For openworking aluminium fence boards; not compatible with the composite boards. Packet of 22 x 15 mm stackable dividers.



TOP RAIL CONNECTORS

Increases the durability of your fence. It helps ensure vertical positioning of the post and centre-tocentre distances. Simplifies installation.



The + points

Compatible with the range of aluminium fences and accessories

Complies with the standard for reduced-mobility access (passage width > 83 cm) Easy maintenance

USES

- · Install directly between two masonry pillars
- · Install on posts to make an opening in a fence





Transform your home with a bold "second skin" effect


Give your home a whole new look with our cladding solutions!

Our Silvadec® sun shade and our open rhombus cladding board will put a personal stamp on your home exterior.

Sun shade	P. 31
Open rhombus cladding board	P. 32
Atmosphere 175 cladding	P 33




With the sun shade, choose aesthetic appeal and comfort too



Enhance the comfort of your living space by modifying the brightness and temperature, with our sun shade.

Reduce direct solar radiation into your home, and regulate heat while letting light in.

Just what you need to create an aesthetic and functional architectural whole!



The + points

Doesn't fade to grey

Resistant to insects and fungi


Long-lasting colour

Guaranteed for 25 years*

* Terms of the warranty can be downloaded from www.silvadec.com







The + points

Easy maintenance

No treatment is required

Permanent and uniform colour


Guaranteed for 25 years*

buildings a more modern look and offers new solutions for exterior decoration.

As well as looking great, this cladding offers a surprising range of on-trend colours!




* Terms of the warranty can be downloaded from www.silvadec.com





My cladding reaches new heights with the Atmosphere 175 board!



You can count on the modern lines of our Atmosphere 175 board to create cladding with character. Thanks to the quality of its constituent materials and our exclusive manufacturing process, your cladding's colour remains totally stable over time, without treatment, saturators or painting!

The + points

On-trend colours Installation options No treatment needed Rapid installation Guaranteed for 25 years*

* Terms of the warranty can be downloaded from www.silvadec.com







Silvadec® composite boards do not require special protection (no treatment product). Regular cleaning is all that is required to keep the boards in good general condition.

ELEGANCE AND EMOTION BOARDS

It is essential to wash your decking once a year, ideally in spring, using a broom and soapy water, which should be warm, for optimum effectiveness. Composite boards are mostly made of wood and are therefore susceptible to staining, dependent on the product's environment, its use and your regional climate. Stains are always on the surface of the board and never alter the structure of the product. Most stains wash off easily with soapy water and a broom. Household stains (greasy) fade naturally if they are exposed frequently to UV and the weather.



TEMPORARY BRONZING


The Elegance and Emotion boards **yellow** temporarily during the first few weeks after installation. This natural phenomenon disappears after exposure to the sun and to the weather, at which point the boards will revert to almost their original colour!

This bronzing may last longer if the boards are installed in semi-sheltered or sheltered areas. In this case, if water spots persist, it is possible to speed up their disappearance by using a jet of water and a broom to brush along the length of the boards.

Before exposure to UV rays in the sun

After a

After a few few hours weeks of exposure to the weather



ORIGINAL NATURAL

COLOUR BRONZING

STABILISED COLOUR



ATMOSPHERE AND ALUMINIUM BOARDS

It is essential to wash decking and fencing once a year, ideally in spring, using soapy water, which should be warm for optimum action. We strongly recommend using a **broom** to wash Atmosphere boards and a sponge to wash Aluminium fences, as some long-handled brooms can cause scratches.

> ON ALL SILVADEC® PRODUCTS

THINGS YOU SHOULD NEVER DO

- · Do not use high-pressure cleaning equipment, which makes the surface slightly porous and so more prone to staining
- · Do not use solvent
- · Do not apply staining oil, paint or protective/restorative products.







> OUR MAINTENANCE PRODUCTS



SILVAWASH

- · Clay-based, 100% mineral origin
- · Especially for composite
- · To be used dry
- · Net weight: 200g



SILVANET

- · Especially for composite
- Removes around-in stains
- · Capacity: 1 I



SILVACTION

- · Ready for use, without rinsing
- · Capacity: 5 I (20/25 m²)
- · Ideal for heavy one-off "scrubbing" actions

Ref. SINET1501

Ref. SINET1201

Ref. SINET1801



For more information, consult the maintenance sheets available at www.silvadec.com



Distributor:

Reach us at:



















Life is composite







Silvadec France

21 Parc d'Activités de l'Estuaire · F - 56190 Arzal Tel. +33 (0)2 97 45 09 00 · e-mail: info@silvadec.com

Silvadec Germany

Ludwig-Erhard-Straße 3 · D - 84069 Schierling Tel.: +49 9451 9443 500 · e-mail: info-germany@silvadec.com