

Strong

load-bearing deck

Status December 2021



STRONG



Brown

Grey

Anthracite

Extremely resilient

Are you looking for a really stable floor surface that doesn't need a complicated underlying construction? Do you want it to look natural? Then let our new load-bearing deck STRONG work for you. Its height of 38 mm means that this massive deck is extremely strong and can be used most diversely, for example as a floor surface for stairs, marinas, pergolas or patios. STRONG is a great option for covering larger gaps – without needing an underlying construction.

Intensive colours, natural grain

The deck is optically convincing thanks to its natural wooden grain and is available in brown, anthracite and grey. Its appealing surface is available slightly brushed, or finely striated, thereby looking both natural, but also highly up-market. The decks are mounted according to our manual 'Screwing' (the patio deck screw 5.5 x 80 mm stainless steel must be used). The gap between the decks is between 7-8 mm. Thanks to the wooden composite material the load-bearing deck is not only splinter-free, but also extremely low on maintenance and is therefore highly suitable for your favourite spot outdoors.

Characteristics

high load-bearing capacity
natural wooden look
load-carrying substructure
unnecessary
quick and easy to install

Simple laying

The decks are mounted according to our 'mounting' instructions. It is possible to lay the decks suspended or directly on the underlying surface. The gap between decks is at least 5 mm, so that you can use either the cross-laying aid to create a 5 mm gap, or the classic laying aid for 7.5 mms. Depending on the location you will need approx. 28 patio deck screws (5.5 x 80 mm stainless steel, hardened) and 4 gap pieces for one square metre. With this deck you cannot use a joint profile tube; you have to use our universal accessories to lay the decks. You can find laying films on patio construction and current information on our products on our website!

Good planning is everything

Use our patio planner to plan your favourite spot with our deck STRONG. Choose between different laying shapes and directions and use the practical material list to implement your plans. You are also welcome to ask for consultation directly from one of our partner retailers.

Format	width ca. 140 mm, height ca. 38 mm
Surface	with wooden grain, finely brushed finest striated, unbrushed
Standard lengths	ca. 4 m
Special lengths	2 m bis 13 m available at extra cost
Requirements	1 sqm consists of ca. 7 m decks
Weight	ca. 6.3 kg/m

Mounting the load-bearing deck



NATUR inFORM GmbH
Flurstraße 7
D-96257 Redwitz a. d. Rodach
T +49 (0) 9574 65473 - 0
F +49 (0) 9574 65473 - 20
info@naturinform.com
www.naturinform.com



Prüfung Rutschhemmung **DIE STARKE**

R12 10/2015

Bewertung nach DIN 51130
TÜV Rheinland/LGA



This brochure was created carefully for you and is constantly being developed further.
Please find the current and valid version at www.naturinform.com. Printed colours can vary.
Status: December 2021